

Product datasheet

Specifications



IEC long time rating plug,
MicroLogic control units, standard
setting I_r (0.4 to 1 x I_n), spare part

33542

Main

Product or component type	Long time rating plug
Device application	Control
Range compatibility	MasterPact NT circuit breaker MasterPact NW circuit breaker ComPacT NS630b...1600 circuit breaker ComPacT NS1600b...3200 circuit breaker
Trip unit name	MicroLogic
control type	Electrically operated

Complementary

Long time pick-up adjustment type I_r	Adjustable
Long time pick-up adjustment range	0.4...1 x I_n

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.100 cm
Package 1 Width	3.600 cm
Package 1 Length	8.700 cm
Package 1 Weight	10.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	9.400 cm
Package 2 Width	13.100 cm
Package 2 Length	18.700 cm
Package 2 Weight	256.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	240
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	3.847 kg

Contractual warranty

Warranty (in months)

18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
EU RoHS Directive	Compliant with Exemptions
SCIP Number	Ce203ae2-c7e0-4aad-aa17-1e7ab31e4934
REACH Regulation	REACH Declaration
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes

Use Longer

Lifetime extension

Repair	No
--------	----

Use Again

Repack and remanufacture

Take-back	No
-----------	----