

Pleiger

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Pleiger Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Pleiger Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Universal controller 362MC	Replacement for 9343626000 Electronic controller with micro controller chip; display-, control- and input/output functions selectable for 2-point-, 3-point-, step-, continuous- and cascaded controller. Software version: standard, for 1 or 2 control loops Power supply: 230V-AC +-10%, 50-60Hz +-5%, max.100mA Displays: 2 line LCD text (values selectable) 1*LED 2,5-digit decimal, displays AI1 Operation: by foil keyboard, menu guided (setpoint,parameters,profile,display) Manual/Backup control:1*manual/automatic and +/- (OP/CL) via buttons (relaisgroup1), MC-independent Inputs: 1*0(4)-20mA for current transm. (AI1) 1*Pt100 for temp. transmitter (AI2) 1*0(4)-20mA for current transm. (AI3) 1*200R for pos.feedback resistor (AI4) 6*pot.free contacts, (2. setpoint, 2. parameterset, output full OP/CL) Outputs: 1*relaisgroup +/- (OP/CL),230V-AC/1A 1*relais alarm, pot.free, NO/NC Interfaces: service interface RS232 Control range: 0-100 %, scalable Dimensions: 144*72mm (DIN43700), inst.depth 140 mm Protection: front IP30, terminals IP00 Installation: into panel cut-out Connection: via screw/plug terminals backside
3-WAY valve. Type: MOV-3-51/1;	Ser N0: 06.19.178. DN/PN 80/16

3-WAY valve. Type: MOV-3-81; DN/PN 125/16	
3-WAY valve. Type: MOV-3-81; Ser NO:2/37293.	DN/PN 150/10
EHS-D3/200-0061	Double-acting electro-hydr. actuator EHS-D/200-3G-H/OC REPLACEMENT for EHS-D3/190-332 Valve No.: BA38, BA39, BA43
362-MC	
MOR710-05-303	
6921006010	DPE7-107925 Hydraulic pump unit 200 cm ³ for EHS consisting of pump, motor and oil tank
6921007770	OIL TANK CPL. POWER-PACKER
362MC	
TYPE: 362-MC -SERİ NO:0611	9362000000
0903	
9321191110	Conti P2 reporting module
419100040	THERMAL HEAT RATING \ 100 BAR
9341100090	
Typ M0s340, Nr 8108-556, 00-104	
Mov-81	
Hyh651-612	
Ehs-D3	
M0250-08-001	
362mc	
Ehs-D3/34-0053	
Hyh651-610	
Ste1-180-06bn	
6009123370	
Mo250-08-001	
6054120680 Zylinderrollenlager Statistische Warennummer: 8482 50 00 Gewicht: 5,800 Kg	
Mo200-08-001	
Mo710-05-314	

6991510280
St08-000-00
Mos1300-05-003 (Serial Ã9004-0429) - Obsolete, Replacement Mos1300-05-203
M04500-05-2202
Sted36-180-B1
Sted08-090-00a
Mo3000-06-205
6054121300 Zylinderrollenlager Statistische Warennummer: 8482 50 00 Gewicht: 4,200kg
Spare Part For Mor710-05-305
Sted 6-180-00bn
Mo1000-08-202
Mos4500-05-2203
Ehs-D/400
Mo710-05-332 S/N: 9910-1749
St24-180-07bn
5810 Witten 3 Type:362-D
9004-0525
Mo160-08-001
Typ Mos 400, Nr 8109-0597, 00-102
Pvk-0-81/I-D, Dn 40, Pn 10
362mc Art.-Nr. 9362000000
6009125870
M01600-30-139 Replaced By Mo1600- 05-300
Hp-Kas Pcb For Ehs-S (9311209410)
UNIVERSAL CONTROLLER 362MC Electronic controller with micro controller chip; display-, control- and input/output functions selectable for 2-point-, 3-point-, step-, continuous- and cascaded controller. Software version: standard, for 1 or 2 control loops Power supply: 230V-AC +-10%, 50-60Hz +-5%, max.100mA Displays: 2 line LCD text (values selectable) 1*LED 2,5-digit decimal, displays AI1 Operation: by foil

9362000000	keyboard, menu guided (setpoint,parameters,profile,display) Manual/Backup control: 1*manual/automatic and +/--(OP/CL) via buttons (relaisgroup1), MC-independent Inputs: 1*0(4)- 20mA for current transm. (AI1) 1*Pt100 for temp. transmitter (AI2) 1*0(4)-20mA for current transm. (AI3) 1*200R for pos.feedback resistor (AI4) 6*pot.free contacts, (2. setpoint, 2. parameterset, output full OP/CL) Outputs: 1*relaisgroup +/--(OP/CL),230V-AC/1A 1*relais alarm, pot.free, NO/NC Interfaces: service interface RS232 Control range: 0-100 %, scalable Dimensions: 144*72mm (DIN43700), inst.depth 140 mm Protection: front IP30, terminals IP00 Installation: into panel cut-out Connection: via screw/plug terminals backside Quick User Guide for Controller 362MC is included.
9321209620	
9295273700	
Ehs-Exd ? 15dc	
Type 366 D	
4664010260 (Op/Cl)	
6990581250	
9128621070	
6995003180	
9128620700 Position Indicator Customs Tariff No. 8412 90 80 Weight: 0,185 Kg/ Pc	
Mvl-2867-W 56k	
9128620720 Stellungsanzeige/ Position Indicator P2 Customs Tariff No. 8412 90 40 Weight : 0,200 Kg/Pc	
Mos6500-30-168	
6995002550	
St3-180-00bn	
Mos1300-05-203	
Std3-180-00bn	
6995005290	
4664010150	
Mo4500-05-2202	
St1-180-31a	
Type: Ehs-D3/15-0046	
Pt-100 Temperature Sensor	

4940001450
6990581240
Repair Kit For St1-180-31a
Mos-3750/4500-05r - !! With Quot;Mos4500-05-2203quot;
V91 (80.0 716003) - Cl.
Mvl-2851
Mo 4500 05-300
6009121120
Ehs-D/190
Mo1600-05-300
10.83 114